

Notice of Allowability

Application No.

10/820,254

Applicant(s)

BRETHERSKY ET AL.

Examiner

Hung T. Vy

Art Unit

2821

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the RCE filed 04/25/2006.
2. ☒ The allowed claim(s) is/are 1-9, 11 and 12.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


DON WONG
PATENT EXAMINER

1. As of entry of the RCE filed on 04/25/2006, claims 1-9, and 11-12 are pending in this application as result of the cancellation of claim 10. Upon reconsideration, the rejection of claims 1-9, 11-12 by Smith et al. mailed 01/25/2006 is hereby withdrawn. Claims 1-9, and 11-12 are allowed.

Allowable Subject Matter

2. Claims 1-9, and 11-12 are allowed.

None of the references of record teaches or suggests the claimed a radiation generating system for treating coating on a substrate, comprising, along with all the other claimed feature, a microwave generator, a lamp, a high voltage power supply, a **current limiting device** connected **between said high voltage power supply and said microwave generator** and adapted to limit a short circuit current being supplied to said microwave generator, a **fault detector** to said high voltage power supply and operating **independent** of said current limiting device to provide an error signal in response to detecting the short circuit current being supplied to said microwave generator; and control operative to disconnect said AC power source.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung VY whose telephone number is (571) 272-1954.

Art Unit: 2821

The examiner can normally be reached on Monday-Friday 8:30 am - 5:30pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, DON WONG can be reached on (571) 272-1834. The fax numbers for the organization where this application or proceeding is assigned are (571) 273-8300 for regular communications.

4. Information regarding the status of an application may be obtained from the patent Application Information Retrieval (PAIR) system. Status information for published application may be obtained from either private Pair or Public Pair. Status information for unpublished applications is available through Private Pair only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have question on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hung T. Vy
Art Unit 2163
May 14, 2006.


DON WONG
SUPERVISORY PATENT EXAMINER